




LP Wheels

BY NOKIAN TYRES




DW-Rim Profiles

Rim Contour	Width	Diameter
DW13Lx24	330, 2	614,4
DW15Lx24	381	614,4
DW16Lx24	406,5	614,4
DW20Bx26	508	665,2
DW25Bx26	635	665,2
DW15Lx28	381	716
DW16Lx28	406,5	716
DW18Lx28	457	716
DW20Bx28	508	716
DW15Lx30	381	766,8
DW16Lx30	406,5	766,8
DW18Lx30	457	766,8
DW20Bx30	508	766,8
DW23Bx30	584	766,8
DW21Bx32	533,5	817,6
DW27Bx32	685,8	817,6
DW36Bx32	914,4	817,6
DW44Bx32	1117,6	817,6
DW15Lx34	381	868,4
DW16Lx34	406,5	868,4
DW20Bx34	508	868,4
DW23Bx34	584	868,4
DW24Bx34	609,6	868,4
DW25Bx34	635	868,4
DW12x38	305	970
DW15Lx38	381	970
DW16Lx38	406,5	970
DW18Lx38	457	970
DW20Bx38	508	970
DW23Bx38	584	970
DW25Bx38	635	970
DW27Bx38	686	970
DW28Bx38	710,5	970
DW30B*38	762	970
DW16Lx42	406,5	1071,6
DW18Lx42	457	1071,6
DW20Bx42	508	1071,6
DW23Bx42	584	1071,6
DW25Bx42	635	1071,6
DW27Bx42	686	1071,6
DW30B*42	762	1071,6
DW16Lx46	406,5	1173,2
DW18Lx46	457	1173,2
DW20Bx46	508	1173,2
DW25Bx46	635	1173,2
DW30Bx46	762	1173,2
DW16Lx50	406,5	1274,8





W-Rim Profiles

Rim Contour	Width	Diameter
W10x24	254	614,4
W12x24	305	614,4
W13x24	330	614,4
W15Lx24	381	614,4
W10x28	254	716
W12x28	305	716
W13x28	330	716
W15Lx28	381	716
W18Lx28	457	716
W13x30	330	766,8
W8x32	203	817,6
W10x32	254	817,6
W10x34	254	868,4
W12x34	305	868,4
W15Lx34	381	868,4
W18Lx34	457	868,4
W8x36	203	919,2
W10x36	254	919,2
W10x38	254	970
W8x44	203	1122,4
W10x44	254	1122,4
W10x46	254	1173,2
W12x46	305	1173,2
W13x46	330	1173,2
W8x48	203	1224
W10x48	254	1224
W12x48	305	1224
W10x50	254	1274,8
W12x50	305	1274,8
W15Lx50	381	1274,8
W10x52	254	1325,6
W10x54	254	1376,4
W12x54	305	1376,4



15°-Rim Profiles

Rim Contour	Width	Diameter
AG 16.00*22.5	406,5	571,5
AG 20.00*22.5	508	571,5
AG 24.00*22.5	609,5	571,5
AG 20.00*26.5	508	673,1
AG 20.00*26.5 Q-154	508	673,1
AG 24.00*26.5	609,5	673,1
AG 24.00*26.5 Q-190	609,5	673,1
AG 28.00*26.5	711	673,1
AG 28.00*26.5 Q-154	711	673,1
AG 24.00*28.5	609,5	723,9
AG 26.00*28.5	660,5	723,9
AG 20.00*30.5	508	774,7
AG 24.00*30.5	609,5	774,7
AG 28.00*30,5	711	774,7



Tube Edge Rims

Rim Contour	Width	Diameter
AG 18.00*22.5 TE	457,2	571,5
AG 20.00*22.5 TE	508	571,5
AG 22.00*22.5 TE	533,4	571,5
AG 24.00*22.5 TE	609,5	571,5
AG 20.00*24.5 Q-154 TE	508	622,3
AG 24.00*24.5 Q-190 TE	609,5	622,3
AG 20.00*26.5 TE	508	673,1
AG 24.00*26.5 TE	609,5	673,1
AG 24.00*26.5 Q-190 TE	609,5	673,1
AG 28.00*26.5 TE	711	673,1
AG 20.00*30.5 TE	508	774,7
AG 24.00*30.5 TE	609,5	774,7
AG 28.00*30.5 TE	711	774,7



**When standard
is not enough.**

We are happy to help you, please contact our sales: sales@levypyora.fi



Klaus Jansson Jr

Sales Director

Tel. +358 40 500 2299

klaus.jansson@levypyora.fi



Janne Lemettinen

Vice President

Tel. +358 20 792 9530

janne.lemettinen@levypyora.fi